NATURAL LIGHT PROVIDED= 17.29 SF + 9 =26.29 26.29 > 10.16, COMPLIES 03 OFFICE 127 SF NATURAL VENTILATION REQUIRED= 207(.04)= 8.28 SF NATURAL LIGHT REQUIRED = 207 (.08) =16.56 SF NATURAL LIGHT REQUIRED = 127 (.08) =10.16 NATURAL VENTILATION PROVIDED= 17.29. 17.29 > 8.28, COMPLIES NATURAL VENTILATION PROVIDED= 17.29. 17.29 > 5.28, COMPLIES NATURAL VENTILATION REQUIRED= 127(.04)= 5.08 13,-81,... 12.07 15.04 7-21 7:21: 02 BEDROOM 207 SF 04 BATH 2

MECHANICALLY

VENTILATED -AREA OF SKYLIGHT 01 ENTRY 73 SF 8'-02" 15/1-E ELECTRIMON START + P. P. P. T. 06 LAUNDRY/STORAGE 82 SF 07 BATH 1 18'-10<u>1</u>" 7 D/W 06 KITCHEN 239 SF DASHED LINE INDICATES -BOUNDARY OF STORAGE LOFT ABOVE EXIST DOOR: 5'-11" L X 6'-8" H NATURAL LIGHT PROVIDED= 9.8+ 39.4 = 49.2 SF 49.2 > 19.12, COMPLIES 06 KITCHEN 239 SF NATURAL VENTILATION PROVIDED= 39.4/2, =19.7, 19.7 > 9.56, COMPLIES NATURAL VENTILATION PROVIDED= 50.4. 50.4 > 23.8, COMPLIES NATURAL VENTILATION REQUIRED= 595(.04)= 23.8 SF - LIVING/DINING 595 SF NATURAL VENTILATION REQUIRED= 239(.04)= 9.56 SF NATURAL LIGHT REQUIRED = 239 (.08) = 19.12 SF NATURAL LIGHT REQUIRED = 595 (.08) =47.6SF NATURAL LIGHT PROVIDED= 9.8(3)+ (2) 25.2 =29.4 +50.4=79.8 SF 79.8 > 47.6, COMPLIES

TODD YOUNG RESIDENCE

48 POND MEADOW ROAD

CROTON-ON-HUDSON, NY 10520

SSK ARCHITECTURE
276 FIFTH AVENUE, SUITE 204 NY, NY 10001
646.435.0158

SUBMISSIONS REV NO ISSUE DATE

48 POND MEADOW ROAD CROTON-ON-HUDSON, NY 10520 TODD YOUNG RESIDENCE

PROPOSED PLAN

1902.01 NM

A.102